

## **RAW SEQUENCE LISTING**

**The Biotechnology Systems Branch of the Scientific and Technical  
Information Center (STIC) no errors detected.**

Application Serial Number: 10/563,637  
Source: IFWP  
Date Processed by STIC: 02/08/2007

# ***ENTERED***



IFWP

## RAW SEQUENCE LISTING

DATE: 02/08/2007

PATENT APPLICATION: US/10/563,637

TIME: 11:51:09

Input Set : A:\19460.seq.txt

Output Set: N:\CRF4\02082007\J563637.raw

3 <110> APPLICANT: Franco, Christopher Milton Mathew  
 4 Coombs, Justin Taylor  
 6 <120> TITLE OF INVENTION: A method and agents for improving plant productivity  
 involving

7 endophytic actinomycetes and metabolites thereof

9 <130> FILE REFERENCE: 19460

11 <140> CURRENT APPLICATION NUMBER: 10/563,637

12 <141> CURRENT FILING DATE: 2006-01-06

14 <160> NUMBER OF SEQ ID NOS: 33

16 <170> SOFTWARE: PatentIn version 3.1

18 <210> SEQ ID NO: 1

19 <211> LENGTH: 1158

20 <212> TYPE: DNA

21 <213> ORGANISM: actinomycete

23 <220> FEATURE:

24 <221> NAME/KEY: misc\_feature

25 <222> LOCATION: (1)..(1155)

26 <223> OTHER INFORMATION: "n" is unknown nucleotide

29 <400> SEQUENCE: 1

W--> 30 cttaacacat gcaantcaag cggaaaggcc cttcggggta ctcaancggc naacgggtga 60  
 32 ttaacacntg antaacctgc ccctgactct gggataance tgggaaactg ggtctaatac 120  
 34 cggatacaac catttctcnc atgggatggt ggtggaaant ttttncggtt ggggatgggc 180  
 36 tcgcggccta tcaccttggt ggtggggatga tggcctacca aggcgacgaa cggtagcccg 240  
 38 cctgagaggg cgaccggcca cactgggact gagacaccgc ccgaactcct acgggaggca 300  
 40 gcactgggga atattgccc tgggcggaag cctgacgcag ngacgccgcg tgggggatga 360  
 42 cggccttngg gttgtaaacc tntttcagca gggacgaagt tgacgtgtac ctgtagaaga 420  
 44 agcgcgggct aaatangtc cagcagccgc ggtaatangt agggcgcgag cgttntccgg 480  
 46 aattattggg cgtaaagagt ttgtaggtgg cttgttgctt ttgccgtgaa agcccgtggc 540  
 48 ttaantacgg gtttgcggtg gatacgggca ggctagaggc tggtaggggc aagcggaatt 600  
 50 cctggtgtag cggtgaaatg cgcagatata aggaggaaca ccggtggcga aggcggcttg 660  
 52 ctgggccagt tctgacggtg aggagcgaaa gcgtggggag cgaacaggat tagataccct 720  
 54 ggtagtccac gctgtaaacy ttgggcgcta ggtgtggggg tcttccacga tctctgtgcc 780  
 56 gtagctaacy cattaagcgc cccgcctggg gagtacggcc gcaaggctaa aactcaaagg 840  
 58 aattgacggg ggcccgcaca agcggcggag catgttgctt aattcgacgc aacgcgaaga 900  
 60 acctaccaa ggtttgacat acaccggaaa cactcanana tgggtgcctc ctttggactg 960  
 62 gtgtacaggt ggtgcatggc tgtcnnccac ctcgtgtcgt nagatgtngg gtttaagtccc 1020  
 64 gcaacgancg caacccttgg ttccatgttg ccagcacncc ctttgnggtg gtggggacnc 1080  
 66 atggganaat gccggggctn actcnggagg aaggtgggga tgacgtcaag tnatcntgcc 1140  
 68 ccttatgttc ttgnngtg 1158

71 <210> SEQ ID NO: 2

72 <211> LENGTH: 1437

73 <212> TYPE: DNA

74 <213> ORGANISM: actinomycete

76 <220> FEATURE:

## RAW SEQUENCE LISTING

DATE: 02/08/2007

PATENT APPLICATION: US/10/563,637

TIME: 11:51:09

Input Set : A:\19460.seq.txt

Output Set: N:\CRF4\02082007\J563637.raw

```

77 <221> NAME/KEY: misc_feature.
78 <222> LOCATION: (1)..(1437)
79 <223> OTHER INFORMATION: "n" is unknown nucleotide
82 <400> SEQUENCE: 2
83 gctggcggcg tgcttaacac atgcaagtcg aacgatgaac cacttcggtg gggattagtg      60
85 gcgaacgggt gagtaacacg tgggcaatct gcccttcact ctgggacaag ccctggaaac      120
W--> 87 ggggtctaata accggataac actnctgctc tcatgggcag gggttaaaag ctccggcggt      180
89 gaaggatgag ccgcgcgcct atcagcttgt tggtagagta atggctcacc aaggcgacga      240
91 cgggtagccg gcctgagagg gcgaccggcc aactggggac tgagacacgg ccagactcc      300
93 tacgggaggg agcagtgggg aatattgcaa caatgggcga aagcctgatg cagcgacgcc      360
95 gcgtgagggg tgacggcctt cgggttgtaa acctctttca gcagggaaga agcgaaagtg      420
97 acggtacctg cagaagaagc gccggctaac tacgtgccag cagccgcggt aatacgtagg      480
99 gcgcaagcgt tgtccggaat tattgggcgt aaagagcttg taggcggctt gtcacgtcgg      540
101 gtgtgaaagc ccggggctta accccgggtc tgcattcgat acgggctagc tagagtgtgg      600
103 taggggagat cgggaattcct ggtgtagcgg tgaaatgcgc agatatcagg aggaacaccg      660
105 gtggcggaagg cggatctctg ggccattact gacgtgagg agcgaaagcg tggggagcga      720
107 acaggattag ataccctggt agtccacgcc gtaaaccggt ggaactaggt gttggcgaca      780
109 ttccacgtcg tcggtgccgc agctaacgca ttaagttccc cgctggggga gtacggccgc      840
111 aaggctaaaa ctcaaaggaa ttgacggggg ccgcgacaag cagcggagca tgtggcttaa      900
113 ttcgacgcaa cgcaagaac cttaccaagg cttgacatac accggaaagc atcagagatg      960
115 gtgccccctt tgtggttcgg tgtacaggtg gtgcatggct gtcgtcagct cgtgtcgtga      1020
117 gatgttggtt taagtccgc aacgagcgca acccttgctt tgtgttgcca gcatgccctt      1080
119 cggggtgatg gggactcaca ggagaccgcc ggggtcaact cggaggaagg tggggacgac      1140
121 gtcaagtcac catgccctt atgtcttggg ctgcacacgt gctacaatgg ccggtacaaa      1200
123 gagctgcgat accgtgaggt ggagcgaatc taaaaagcc ggtctcagtt cggattgggg      1260
125 tctgcaactc gaccccatga agtcggagtt gctaataatc gcanatcagc attgctgcgg      1320
127 tgaatacggt cccgggcctt gtacacaccg ccgctcacgt cagcaaagtc ggtaacaccc      1380
129 gaagccggtg gccaacccct tgtgggaggg agctgtcgaa ggtgggactg gcgattg      1437
132 <210> SEQ ID NO: 3
133 <211> LENGTH: 317
134 <212> TYPE: DNA
135 <213> ORGANISM: actinomycete
137 <220> FEATURE:
138 <221> NAME/KEY: misc_feature
139 <222> LOCATION: (1)..(311)
140 <223> OTHER INFORMATION: "n" is unknown nucleotide
143 <400> SEQUENCE: 3
W--> 144 gtaatggccc anaaaaccgc cttcgccacc ggtgttccct ctgatatctg cgcatttcac      60
146 cgctacacca ggaattccna tctcccctac cacactctag ctagcccgta tcnaatgcaa      120
148 actcgggggt aagcccnag ctttcacatc cgacgtgaca agccgcctac aanctcttta      180
150 cgcccaataa ttccgganaa cgctcgcacc ctacntntta ccgcggctgc tggcncgtnt      240
152 ttagccggtg cttcttctgc aggtaccgtc acttctcgtt ctccctgct naaaaaggtt      300
154 tacaacccta nggcccgt                                     317
157 <210> SEQ ID NO: 4
158 <211> LENGTH: 1048
159 <212> TYPE: DNA
160 <213> ORGANISM: actinomycete
162 <220> FEATURE:
163 <221> NAME/KEY: misc_feature

```

## RAW SEQUENCE LISTING

DATE: 02/08/2007

PATENT APPLICATION: US/10/563,637

TIME: 11:51:09

Input Set : A:\19460.seq.txt

Output Set: N:\CRF4\02082007\J563637.raw

```

164 <222> LOCATION: (1)..(1043)
165 <223> OTHER INFORMATION: "n" is unknown nucleotide
168 <400> SEQUENCE: 4
W--> 169 tgagggatga cggcnttcgg ggttgtaaac nttntcacc agggaagaag cgaaagtgnc 60
171 ggtacctgca gaagaagcgc cgnctaacta cgggccagca tccgcggtaa tacgtagggc 120
173 gcaatcgttg tccggaatta ntgggcgtaa agagntcgta ggcggcttat cacgtcgggt 180
175 gtgaaagccc ggggcttaag ccccggtct gcattcgata cgggctagct agantntgnt 240
177 aggggagatc ggaattcctg gtgtagcggg gaaatgcgca gatatcagga ggaacaccgg 300
179 tggcgaaggc ggatctctgg gccattactg acgctgagga gcgaaagcgt ggggagcgaa 360
181 caggattaga taccctggta gtccacgcgc taaacggtgg gaactaggtg ttggcgacat 420
183 tccacgtcgt cggtgccgca gctaacgcat taagtcccc gcctggggag tacggccgca 480
185 aggctaaaac tcaaaggaat tgacgggggc ccgcacaagc agcggagcat gtggcttaat 540
187 tcgacgcaac gcgaagaacc ttaccaaggc ttgacataca ccggaagca tcagagatgg 600
189 tgccccctt gtggtcgggtg tacagggtgg gcattggtgt cgtcagctcg tgcgtgaga 660
191 tgttggttta agtcccgcaa cgagcgcaac ccttggttct gtgttgccag catgcccttc 720
193 ggggtgatgg ggactcacag gagaacgcgc ggggtcaactc ggaggaagggt ggggacgacg 780
195 tcaagtcata atgcccccta tgtcttgggc tgcacacgtg ctacaatggc aggtaaatga 840
197 gctgcgatac cgtgaggtgg agcgaatctc aaaaaagcct gtctcanttc ggattggggg 900
199 ctgnaantcg accccatgaa agtcggagtt gctaattatc ccagatcaac attgctggcg 960
201 gtgaatacgt tcccggggcc ttggtaaaca ccgcccgtca angtnaagaa agtcgggtaa 1020
203 cacccgaaan ccggtgggcc aanccct 1048
206 <210> SEQ ID NO: 5
207 <211> LENGTH: 508
208 <212> TYPE: DNA
209 <213> ORGANISM: actinomycete
211 <220> FEATURE:
212 <221> NAME/KEY: misc_feature
213 <222> LOCATION: (1)..(472)
214 <223> OTHER INFORMATION: "n" is unknown nucleotide
217 <400> SEQUENCE: 5
W--> 220 ttccnatctc ccctaccaca ctctanctan cccgtatcga atgcaaacc ggggttaanc 120
222 cccgggcttt cacaccgcac ntgacaagcc gcctacaaac tctttacgcc caataattcc 180
224 ggacaacgct tgcgccctac ntattaccgc ggctgctggc acntatttag ccggcgcttc 240
226 ttctgcaggt accgtcactt tcgcttcttc cctgctgaaa aaggtttaca acccgaaggc 300
228 cgtcatccct cacgcggcgt cgtgcatca ggctttcgcc cattgtgcaa tattccccac 360
230 tgetgcctcc cntaggaate tgggcgctgt ctcaatccag tgtggccggg cccctctcng 420
232 gccggctacc gtntccctt ggtnaccatt anctaccaa caactgatag gncgcgggct 480
234 catcttcacg cgggaacttt caaccacc 508
237 <210> SEQ ID NO: 6
238 <211> LENGTH: 1420
239 <212> TYPE: DNA
240 <213> ORGANISM: actinomycete
242 <400> SEQUENCE: 6
243 ggcggcgtgc ttaacacatg caagtogaac gatgaagccc ttcgggggtgg attagtggcg 60
245 aacgggtgag taacacgtgg gcaatctgcc ctctactctg ggacaagccc tggaaacggg 120
247 gtctaatacc ggatacgatt cgggagggcat ctctggtac tggaaagctc cggcggtgaa 180
249 ggatgagccc gcggcctatc agcttggtgt gggtaatggc ctaccaaggc gacgacgggt 240
251 agccggcctg agagggcgac cggccacact gggactgaga cacggcccag actcctacgg 300

```

## RAW SEQUENCE LISTING

DATE: 02/08/2007

PATENT APPLICATION: US/10/563,637

TIME: 11:51:09

Input Set : A:\19460.seq.txt

Output Set : N:\CRF4\02082007\J563637.raw

```

253 gaggcagcag tggggaatat tgcacaatgg gcgaaagcct gatgcagcga cgccgcgtga 360
255 gggatgacgg ccttcggggt gtaaacctct ttcagcaggg aagaagcgag agtgacggta 420
257 cctgcagaag aagcgccggc taactacgtg ccagcagccg cggtataacg tagggcgcaa 480
259 gcgttgctcg gaattattgg gcgtaaagag ctctagaggc gcttgtcacg tcgggtgtga 540
261 aagccccggg cttaaccccg ggtctgcac cgatacgggc aggttagagt gtggtagggg 600
263 agatcggaat tcttggtgta gcggtgaaat gcgcagatat caggaggaac accggtggcg 660
265 aaggcggatc tctgggccat tactgacgct gaggagcgaa agcgtgggga gccaacagga 720
267 ttagataccc tggtagtcca cgccgtaaac gttggaacta ggtgttggcg acattccacg 780
269 tcgtcgggtgc cgcagctaac gcattaagtt ccccgcttgg ggagtacggc cgcaaggcta 840
271 aaactcaaag gaattgacgg gggcccgcac aagcagcggg gcatgtggct taattcgacg 900
273 caacgcgaag aaccttacca aggttgaca tataccggaa agcgccagag atggtgcccc 960
275 ccttggtggtc ggtatacagg tgggtgcatg ctgtcgtcag ctctgtcgtg gagatggttg 1020
277 gttaagtccc gcaacgagcg caaccttgt cctgtgttgc cagcatgcc ttcggggtga 1080
279 tggggactca caggagaccg ccggggtcaa ctcgaggaa ggtggggacg acgtcaagtc 1140
281 atcatgcccc ttatgtcttg ggtgcacac gtgtacaat ggccggtaca aagagctgcg 1200
283 atgccgtgag gcggagcgaa tctcaaaaag ccggtctcag ttcggatttg ggtctgcaac 1260
285 tcgaccccc gaagtccgag ttgctagtaa tcgcagatca gcattgctgc ggtgaatacg 1320
287 ttcccgggcc ttgtacacac cgccgctcac gtcacgaaag tcggtaacac ccgaagccgg 1380
289 tggcccaacc cctcggggag ggagctgtcg aaggtgggac 1420

```

292 &lt;210&gt; SEQ ID NO: 7

293 &lt;211&gt; LENGTH: 1239

294 &lt;212&gt; TYPE: DNA

295 &lt;213&gt; ORGANISM: actinomycete

297 &lt;220&gt; FEATURE:

298 &lt;221&gt; NAME/KEY: misc\_feature

299 &lt;222&gt; LOCATION: (1)..(1217)

300 &lt;223&gt; OTHER INFORMATION: "n" is unknown nucleotide

303 &lt;400&gt; SEQUENCE: 7

```

W--> 304 gcttnttggg gggncnatgg cctaccaagg ngaggacggn tancngcct gngagggaga 60
306 ccgnccacac tgggaatgng anacggccca gaatectacg ggaggcagca nnggggaana 120
308 ttgcacaang ggcgaaagcc tgatgcagng angccgcgtg agggaaagacg gcctttgggt 180
310 tgtaaacctn tttnagcagg gaagaagcga aagtgcaggc acctgcagaa gaagcgccgg 240
312 ctaantangt gccagcagcc gcggtaatn gttagggcgca agcgttgtcc ggaattattg 300
314 ggcgtaaaaga gctttaggc ggcttgtcan gtnggatgtg aaagcccggg gcttaacccc 360
316 ggggtttgcat ttgatacggg ctagctagag tgtggtaggg gagatnggaa ttcctgtgtg 420
318 agcggtgaaa tgcgcagata tcaggaggaa caccggtggc gaaggcggat ctctgggcca 480
320 ttactgacgc tgaggagcga aagcgtgggg agcgaacagg attagatacc ctggtagtcc 540
322 acgccgtaaa cgttgggaac taggtgttgg cgacattcca cgtcgtcggg gccgcagcta 600
324 acgcattaag ttccccgctt ggggagtagc gccgcaaggc taaaactcaa aggaattgac 660
326 gggggcccgcc acaagcagcg gagcatgtgg cttaattcga cgcaacgcga agaaccttac 720
328 caaggcttga catataccgg aaagcatcag agatggtgcc ccccttgttg tcggtataca 780
330 ggtggtgcat ggctgtcgtc agctcgtgtc gtgagatgtt ggggttaagtc ccgcaacgag 840
332 cgcaaccctt gttctgtgtt gccagcatgc ccttcggggg gatggggact cacaggagac 900
334 tggcgggggtc aactcggagg aaggtgggga cgacgtcaag tcatcatgcc ccttatgtct 960
336 tgggggtgca cacgtgctac aatggccggg acaatgagct gcgatgccgc gaggcgggagc 1020
338 gaatctcaaa aagccggtct cagttcggat tgggggtctg naactcgacc ccatgaantc 1080
340 ggagttgcta ataattccaa attcancatt ggtgcggtga atacttccc ggccgtgtac 1140
342 acnaccgccc gtcaactcac gaaagtcggg naaacccgaa accggtgggc caacccttg 1200
344 tgggaaggaa ctggccnaag tgggactggc gattgggac 1239

```

## RAW SEQUENCE LISTING

DATE: 02/08/2007

PATENT APPLICATION: US/10/563,637

TIME: 11:51:09

Input Set : A:\19460.seq.txt

Output Set: N:\CRF4\02082007\J563637.raw

```

347 <210> SEQ ID NO: 8
348 <211> LENGTH: 431
349 <212> TYPE: DNA
350 <213> ORGANISM: actinomycete
352 <220> FEATURE:
353 <221> NAME/KEY: misc_feature
354 <222> LOCATION: (1)..(424)
355 <223> OTHER INFORMATION: "n" is unknown nucleotide
358 <400> SEQUENCE: 8
359 ccgccttcgc caccggtggt cctcctgata tctgcgcatt tcaccgctac accaggaatt      60
W--> 361 ccnatctccc ctaccacact ctagctagcc cgtatcaaat gcaaaccggg gggttaagccc      120
363 cgggctttca catccnacgt gacaagccgc ctacaanctc tttagcccca ataattccgg      180
365 acaacgcttg cgccctacnt attaccgagg ctgctggcac ntatttagcc ggcgcttctt      240
367 ctgcaggtag cgtcactttc gctncttccc tgctgaaana gggtttacaac ccaaagggcn      300
369 tcateccctn ccggcntent tgcntcnggc ttncncccat tgttcaannt tccccactgc      360
371 tncctccccn cggaatctgg gccgntgtct cattcccntt ntggcgggtc cccctcncag      420
373 gccngctacc c
376 <210> SEQ ID NO: 9
377 <211> LENGTH: 653
378 <212> TYPE: DNA
379 <213> ORGANISM: actinomycete
381 <220> FEATURE:
382 <221> NAME/KEY: misc_feature
383 <222> LOCATION: (1)..(640)
384 <223> OTHER INFORMATION: "n" is unknown nucleotide
387 <400> SEQUENCE: 9
W--> 388 ctcagcgtcn gtaatggccc aaaaaccggc ttgccaccg gtgttcctcc tgatatctgc      60
390 gcatttcacc gctacaccag gaattccnat ctcccctacc acactctagc tagcccgat      120
392 cnaatgcaaa cccgggggta anccccgggc ttacacatcc nacntgacaa gccgcctaca      180
394 anctctttac gccaataat tccggacaac gcttgcnccc tacttattac cgcggctgct      240
396 ggcacttatt tagccggcgc ttcttctgca ggtaccgtca ctttcgcttc ttccctgctn      300
398 aaaaagggtt acaaccnaa ggccgtcacc cctcacgcgg cntcgctgca tcaggctttc      360
400 nccattgtg caatatccc cactgctgcc tcccgtagga ttctgggccc tntctcatte      420
402 ccantgtggc cggtcgccct ctcaggccgg ctaccgctcn tcnccttggg aggccattac      480
404 cccaccaaca agctnatagg ccgcggggtc atccttcacc gccggaagct ttcaaccn      540
406 tccatgcggg anaaattggt ntccggtatt aaaccccggt tccagggnnt gtcccaaat      600
408 tgaagggggg attgnccact ttttactcac ccggttcnccn ctaatccacc acc      653
411 <210> SEQ ID NO: 10
412 <211> LENGTH: 1444
413 <212> TYPE: DNA
414 <213> ORGANISM: actinomycete
416 <400> SEQUENCE: 10
417 acgaacgctg gcggcgtgct taacacatgc aagtcgaacg atgaagccgc ttcggtggtg      60
419 gattagtggc gaacgggtga gtaacacgtg ggcaatctgc ccttcactct gggacaagcc      120
421 ctggaaacgg ggtctaatac cggataacac tctgtcccgc atgggacggg gttgaaagct      180
423 ccggcgggtg aggatgagcc cgcggcctat cagcttggtg gtggggtaat ggccatacaa      240
425 ggcgacgacg ggtagccggc ctgagagggc gaccggccac actgggactg agacacggcc      300
427 cagactccta cgggaggcag cagtggggaa tattgcacaa tgggcgaaag cctgatgcag      360
429 cgacgccgcg tgagggatga cggccttcgg gttgtaaacc tctttcagca ggaagaagc      420

```

RAW SEQUENCE LISTING ERROR SUMMARY  
PATENT APPLICATION: US/10/563,637

DATE: 02/08/2007  
TIME: 11:51:10

Input Set : A:\19460.seq.txt  
Output Set : N:\CRF4\02082007\J563637.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; N Pos. 15,46,51,68,72,98,139,159,165,341,368,382,436,458,475,545  
Seq#:1; N Pos. 937,939,985,986,1001,1008,1028,1058,1066,1079,1087,1100,1105  
Seq#:1; N Pos. 1132,1136,1154,1156  
Seq#:2; N Pos. 144,1304  
Seq#:3; N Pos. 12,79,113,138,173,198,215,217,235,239,291,311  
Seq#:4; N Pos. 15,31,35,59,83,141,155,234,236,239,887,904,907,1002,1005  
Seq#:4; N Pos. 1030,1043  
Seq#:5; N Pos. 65,86,90,119,141,201,223,372,419,434,444,452,472  
Seq#:7; N Pos. 5,14,16,31,40,43,46,52,64,79,82,111,112,119,129,149,152,190  
Seq#:7; N Pos. 194,245,248,270,330,333,406,1061,1078,1106,1143,1171,1217  
Seq#:8; N Pos. 63,136,157,199,221,264,279,300,310,316,319,324,327,333,335  
Seq#:8; N Pos. 348,349,362,385,398,401,417,424  
Seq#:9; N Pos. 10,88,122,142,161,164,182,217,300,318,342,361,412,424,460  
Seq#:9; N Pos. 463,495,540,552,561,588,615,637,640  
Seq#:11; N Pos. 63,84,97,139,157,166,199,221,303,393,399,401,425,449,457  
Seq#:11; N Pos. 465,485,487,499  
Seq#:12; N Pos. 5,14,30,66,68,133,146,158,190,272,342,366,384,520,523,542  
Seq#:12; N Pos. 575,596,808,834,860,873,895,964,971,982,1034,1042,1052,1055  
Seq#:12; N Pos. 1070,1089,1094,1112,1144  
Seq#:13; N Pos. 6,13,17,22,28,37,39,57,61,84,100,104,118,239,245,411,433  
Seq#:13; N Pos. 475,493  
Seq#:14; N Pos. 75,80,997,1382  
Seq#:15; N Pos. 63,88,97,136,139,141,146,299,317,374,376,387,393,405,438  
Seq#:15; N Pos. 442,446,455,456,530,533,547  
Seq#:16; N Pos. 149,251,571,582,653,798,826,838,1362  
Seq#:17; N Pos. 638  
Seq#:18; N Pos. 9,20,23,57,59,106,122,124,183,432,454,517,674,698,704,747  
Seq#:18; N Pos. 772,773,781,828,844,846,847,879,883,889,973,1039,1045,1223  
Seq#:18; N Pos. 1367  
Seq#:19; N Pos. 61,98,112,139,168,249,363,421,443,503,579,687,923,954,1000  
Seq#:19; N Pos. 1017,1035,1037,1051,1069,1077,1106,1113,1114,1140,1153,1156  
Seq#:20; N Pos. 769,843,902,911,926,1112,1182,1206,1207,1331,1341,1392,1404  
Seq#:21; N Pos. 6,306,391,402,431  
Seq#:22; N Pos. 6,18,25,184,275,324,363,369,382,385,394,433,469,493,498,516  
Seq#:22; N Pos. 522,534,564,573,598,603,625,633,638,643  
Seq#:23; N Pos. 520,523,593,623,631,643,648  
Seq#:24; N Pos. 9,15,376,385,424,485,490,505,521,557,565,580,595,625,629  
Seq#:24; N Pos. 646,666  
Seq#:25; N Pos. 459,485,490,506,518,540,567,658  
Seq#:26; N Pos. 517,622,630,640,687  
Seq#:27; N Pos. 9,384,393,413,465  
Seq#:28; N Pos. 17,23,392,491,493,496,514,527,571,617,625,638  
Seq#:29; N Pos. 8,112,166,213,239,340,427,448,503,537,553,555,560,566,578  
Seq#:29; N Pos. 596,606,615,626,638,644,658,662,666

RAW SEQUENCE LISTING ERROR SUMMARY  
PATENT APPLICATION: US/10/563,637

DATE: 02/08/2007  
TIME: 11:51:10

Input Set : A:\19460.seq.txt  
Output Set: N:\CRF4\02082007\J563637.raw

Seq#:30; N Pos. 14,442,445,463,471,490,495,510,571,584,599,618



## VERIFICATION SUMMARY

DATE: 02/08/2007

PATENT APPLICATION: US/10/563,637

TIME: 11:51:10

Input Set : A:\19460.seq.txt

Output Set: N:\CRF4\02082007\J563637.raw

L:30 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0  
M:341 Repeated in SeqNo=1  
L:87 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:120  
M:341 Repeated in SeqNo=2  
L:144 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0  
M:341 Repeated in SeqNo=3  
L:169 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0  
M:341 Repeated in SeqNo=4  
L:220 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:60  
M:341 Repeated in SeqNo=5  
L:304 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0  
M:341 Repeated in SeqNo=7  
L:361 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:60  
M:341 Repeated in SeqNo=8  
L:388 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0  
M:341 Repeated in SeqNo=9  
L:482 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:60  
M:341 Repeated in SeqNo=11  
L:511 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0  
M:341 Repeated in SeqNo=12  
L:564 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:0  
M:341 Repeated in SeqNo=13  
L:627 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:60  
M:341 Repeated in SeqNo=14  
L:688 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:60  
M:341 Repeated in SeqNo=15  
L:723 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:120  
M:341 Repeated in SeqNo=16  
L:800 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:600  
L:841 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0  
M:341 Repeated in SeqNo=18  
L:902 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:60  
M:341 Repeated in SeqNo=19  
L:977 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:720  
M:341 Repeated in SeqNo=20  
L:1014 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0  
M:341 Repeated in SeqNo=21  
L:1047 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0  
M:341 Repeated in SeqNo=22  
L:1100 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:480  
M:341 Repeated in SeqNo=23  
L:1121 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0  
M:341 Repeated in SeqNo=24  
L:1172 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:420  
M:341 Repeated in SeqNo=25  
L:1211 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:480  
M:341 Repeated in SeqNo=26  
L:1232 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0

**VERIFICATION SUMMARY**

PATENT APPLICATION: US/10/563,637

DATE: 02/08/2007

TIME: 11:51:10

Input Set : A:\19460.seq.txt

Output Set: N:\CRF4\02082007\J563637.raw

M:341 Repeated in SeqNo=27

L:1263 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0